

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	478664	@pd>"20060420"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:00
L3	24	((prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (pag\$3) near5 (usage OR (access ADJ pattern\$1) statistic\$4 OR access\$2)) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:01
L4	1	L2 AND L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:19
L5	174	(prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (pag\$3) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:19
L6	27525	((711/3,132-134,136-137,159-160, 202-207,221,154) or (707/10,200, 203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:19
L7	74	L6 AND L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:19
L8	3	L2 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:19
L9	10	(Asynchronous ADJ prefetch\$3 OR asynch ADJ prefetch\$3 OR APF) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:20
L10	0	L2 AND L9	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:21
L11	0	(evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3 near5 (memory OR cache\$1 OR RAM\$1 OR DRAM\$1 OR SRAM\$1 OR SDRAM\$1) near5 (LRU OR (least ADJ recently ADJ used)) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:21

EAST Search History

L12	0	L2 AND L11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:21
L13	5	(evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3 near5 (LRU OR (least ADJ recently ADJ used)) AND (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:21
L14	0	L2 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:22
L15	86	((weight\$3 OR evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:22
L16	12	L15 AND L6	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:22
L17	3	L2 AND L16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:24
L18	21	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:24
L19	0	L2 AND L18	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:30
L20	72	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) AND (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3))))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:30
L21	24	L20 AND L6	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:30

EAST Search History

L22	1	L2 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:31
L23	64	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3))))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:31
L24	36641	("707").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:54
L25	12	L23 AND (L6 OR L24)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:31
L26	1	L2 AND L25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:31
L27	30	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4) near5 pag\$3) AND (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))) AND L6 NOT L21	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:32
L28	26	L27 NOT L23	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:32
L29	1	L2 AND L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:41
L30	3	(weigh\$3 OR evaluat\$3 OR estimat\$3) near5 page\$3 near5 (children OR child) near5 parent\$1	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 15:41
L31	0	L2 AND L30	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:42

EAST Search History

L32	14	(weigh\$3 OR evaluat\$3 OR estimat\$3) SAME page\$3 SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:42
L33	0	L2 AND L32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:42
L34	2	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4 OR deallocat\$3 OR de-allocat\$3) WITH page\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:43
L35	0	L2 AND L34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:43
L36	183	(evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4 OR deallocat\$3 OR de-allocat\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:43
L37	27525	((711/3,132-134,136-137,159-160, 202-207,221,154) or (707/10,200, 203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:43
L38	38	L36 AND (L37)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:43
L39	3	L2 AND L38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44

EAST Search History

L41	273	(weigh\$3 OR evaluat\$3 OR estimat\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44
L42	31	L41 AND L37	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44
L43	3	L2 AND L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:44
L44	7	((weigh\$3 OR evaluat\$3 OR estimat\$3) near10 (pag\$3 OR chunk\$1 OR fram\$3)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:45
L45	0	L2 AND L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:45
L46	0	((weigh\$3 OR evaluat\$3 OR estimat\$3) WITH (pag\$3 OR chunk\$1 OR fram\$3)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1) NOT L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:45
L47	0	L2 AND L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:45
L48	23	(weigh\$3) SAME ((number\$1 OR numeric\$4) near5 (children OR child)) SAME ((number\$1 OR numeric\$4) near5 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:45
L49	3	L2 AND L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:46

EAST Search History

L50	1387	(pin\$4 near5 pointer\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:46
L51	27525	((711/3,132-134,136-137,159-160,202-207,221,154) or (707/10,200,203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:46
L52	16	L50 AND L51	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:46
L53	0	L2 AND L52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:46
L54	6	(travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) near5 pag\$3 near5 ((parent\$1) near3 (child OR children))	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:46
L55	0	L2 AND L54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:47
L56	1	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) near5 pag\$3 near5 ((parent\$1) near3 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:47
L57	0	L2 AND L56	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:47
L58	29	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH ((parent\$1) near5 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:47
L59	2	L2 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:47
L60	2	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH ((parent\$1) near5 (child OR children))) SAME (weigh\$3 OR evaluat\$3) SAME pag\$3	US-PGPUB; USPAT; DERWENT	OR	ON	2006/08/10 15:48
L61	0	L2 AND L60	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:48

EAST Search History

L62	1	(weigh\$4 OR bias\$4 OR trend\$1) near5 (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1))) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:48
L63	0	L2 AND L62	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:48
L64	181	(weigh\$4 OR bias\$4 OR trend\$1) near5 ((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:49
L65	16	L64 AND L51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:49
L66	4	L2 AND L65	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:49
L67	2	(weigh\$4 OR bias\$4 OR trend\$1) WITH (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1))) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:49
L68	0	L2 AND L67	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:50
L69	2	(weigh\$4 OR bias\$4 OR trend\$1) WITH (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1))) near10 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:51
L70	0	L2 AND L69	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:50
L71	6	(weigh\$4 OR bias\$4 OR trend\$1) SAME (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR son\$1 OR daughter\$1))) WITH (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:50

EAST Search History

L72	0	L2 AND L71	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:50
L73	2	(weigh\$4 OR bias\$4 OR trend\$1) WITH ((descendant\$1 OR ancestor\$1) near10 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:52
L76	798	(weigh\$4 OR bias\$4 OR trend\$1) near10 ((lateral\$2 OR horizontal\$2) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
L77	0	L76 AND L51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:54
L78	0	L76 AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
L79	30056	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:55
L80	0	L76 AND L79	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
L81	11841	("717").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/08/10 15:55
L82	0	L76 AND L81	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
L85	203	(weigh\$4 OR bias\$4 OR trend\$1) near3 ((lateral\$2 OR horizontal\$2) near3 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:55
L86	8	(weigh\$4 OR bias\$4 OR trend\$1) near10 (((lateral\$2 OR horizontal\$2) near5 relation\$5) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:57